

ACCESSION NR: AP4043523

S/0258/64/004/003/0504/0509

AUTHORS: Shoremet'yev, M. P. (L'vov); Pelekh, B. L. (L'vov)

TITLE: On the construction of refined plate theory

SOURCE: Inzhonernyy zhurnal, v. 4, no. 3, 1964, 504-509

TOPIC TAGS: plate theory, boundary condition, normal stress, displacement field, stress tensor, deformation energy, rotation angle, symmetric deformation, circular plate, concentrated load, cantilever beam

ABSTRACT: A general theory of plates is derived which allows four boundary conditions to be satisfied on the plane surface  $z = \pm h$ . These conditions are general and can be static, geometric, or displacement type conditions. The only assumptions made are: 1) the deformation component  $\epsilon_{zz} = 0$ ; and 2) the normal stress  $\sigma_{zz}$  is small compared to other stresses. The plate surface is divided into an  $x, y$  coordinate grid and the displacement field represented by

$$u = u^{(0)} + x_1^{(0)} + x^2 (u^{(T)} + x_1^{(T)}), \quad v = v^{(0)} + x_1^{(0)} + x^2 (v^{(T)} + x_1^{(T)}).$$

Card 1/3

ACCESSION NR: AP4043523

This equation is subsequently discussed in four specific problems: 1) fixed circular plate under uniformly distributed load; 2) fixed plate with concentrated load at the center; 3) hinged beam with uniform load; and 4) deflection of a cantilever beam with a concentrated load at its end. Orig. art. has: 29 equations.

ASSOCIATION: none

SUBMITTED: 12Jul63

ENCL: 00

SUB CODE: ME

NO REF SOV: 006

OTHER: 000

Card 3/3

MAKSUMOV, S.S.; SARSIS'YANTS, S.L.; ~~CHEREMET~~'YEV, N.N.; CHICHERIN, P.I.;  
ZAPROMETOVA, L.V.; ZHURAVLEV, N.A.

Virusological characteristics of the outbreak of poliomyelitis in  
Tashkent in 1959. Vop. virus. 7 no.2:239 Mr-Apr '62. (MIRA 15:5)

1. Tashkentskiy nauchno-issledovatel'skiy institut vaktsin i syvorotok.  
(TASHKENT--POLIOMYELITIS)

SHEREMET'YEV, N.N.

Dynamics of the isolation of poliomyelitis vaccine strains from  
flies following vaccination. Zhur. mikrobiol., epid. i immun.  
41 no.10:102-106 '64. (MIRA 18:5)

1. Tashkentskiy institut vaktsin i syvorotok.

SHEREMET'YEV, N. V.

Increasing the operational efficiency of snow removing  
machinery. Put' i put. khoz. 7 no.3:18-19 '63. (MIRA 16:4)

1. Zamestitel' nachal'nika Murmanskoy distantzii Oktyabr'skoy  
dorogi.

(Railroads—Snow plows)

ALEKSANDROV, G.P.; DEMKIV, O.T.; SHEVCHENKO, Yu.V.; SHERMET'YEV, S.Kh.

Flame-photometric determination of strontium in a methane-air flame  
using the SF-5 spectrophotometer. Ukr.khim.zhur. 29 no.6:623-627  
'63. (MIRA 16:9)

1. Institut geologii goryuchikh iskopayemykh AN UkrSSR.  
(Strontium--Spectra) (Flame photometry)

CHOPIK, V.I.; SHEREMET'YEV, S.Kh.

Flame photometric determination of potassium in molasses stillage.  
Ferm. i spirt. prom. 30 no.3:23-24 '64. (MIRA 18:2)

1. L'vovskiy sel'skiy oblastnoy komitet Kommunisticheskoy partii  
Ukrainy (for Chopik). 2. Institut geologii goryuchikh iskopayemykh  
AN UkrSSR (for Sheremet'yev).

ALEKSANDROV, G.P. [deceased]; SHEREMET'YEV, S. Kh.; CHUDKOVSKAYA, R. Ya.

Flame-photometric determination of lithium in natural potassium salts. Ukr. khim. zhur. 31 no. 11:1197-1200 '65 (MIRA 19:1)

1. Institut geologii i geokhimii goryuchikh iskopayemykh AN UkrSSR.



SHEREMET'YEV, V. A., Cand Tech Sci -- (diss) "Methods of Measurement and Recording of the Angle of *Overdrive* of the Rotor of Synchronous Machines." L'vov, 1957. 16 pp with ill<sup>ustrations</sup> (Min of Higher Education Ukr SSR, L'vov Polytechnic Inst), 150 copies. List of author's works at ~~the~~ end of ~~the~~ text (15 titles). (KL, 47-57, 89)

SOV/146-1-1-4/22

AUTHOR: Karandeyev, K.B., Corresponding Member Doctor of Technical Sciences; Vishenchuk, I.M., Senior Scientific Collaborator; Sheremet'yev, V.A., Senior Engineer

TITLE: An Electric Phase Meter for Measuring and Oscillographing the Rotor Coasting Angle of Synchronous Machines (Elektronnyy fazometr dlya izmereniya i ostsillografirovaniya ugla vybega rotora sinkhronnykh mashin)

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy - Priborostroyeniye, 1958, Nr 1, pp 22-27 (USSR)

ABSTRACT: The paper proposes a circuit for a phase meter to measure and oscillograph with little phase angle lag, which is essentially free from the normal defects. The lag in this circuit is 0.2 m/sec, it narrows the measuring limits of the angle to 3-4 electric degrees. The semi-variable resistances of 100 k ohm in the control grid circuit of the phantatron generator is for correcting sensitivity and makes it possible to

Card 1/4

SOV/146-1-1-4/22

An Electric Phase Meter for Measuring and Oscillographing the Rotor Coasting Angle of Synchronous Machines

of the zero point at the balance amplifier. Technical characteristics of the phase meter are: 3 limits for angle measurement  $\pm 180^\circ$ ,  $\pm 90^\circ$ ,  $\pm 45^\circ$ . Indicating instrument is a microammeter for  $\pm 50$  micro-amps. Fixing the angle on the oscillograph takes 0.02 secs, delay in oscillographing is practically zero. The phase meter weighs approx. 6 kg. Power consumption is not over 50 watts. The device is fed with 110 or 220 volts, at 50 cps. The phase meter measures and oscillographs the rotor coasting angle in synchronous machines within limits of  $\pm 180$  electric degrees with an accuracy of up to  $0.5^\circ$  plus 1%. The phase meter works harmoniously with the electromagnetic phase transmitter, which transmits the electrodynamic power, and voltage in pulse form. There are 1 circuit diagram, 6 diagrams, 1 table and 5 Soviet references.

Card 3/4

*SHERMET'YEV, V.A.*  
VISHENCHUK, I.M.; KOTYUK, A.F.; SHERMET'YEV, V.A.

Electronic phase-measuring instruments used in industrial  
frequency circuits. Izv.tekh. no.2:58-59 Mr-Ap '58. (MIRA 11:3)  
(Electronic instruments)

VISHENCHUK, I.M., inzh.; KOTYUK, A.F., inzh.; SHEREMET'YEV, V.A., inzh.

Device for measuring and oscillographing the runaway angle of  
synchronous-machine rotors. Elek. sta. 29 no.7:43-45 J1 '58.  
(MIRA 11:10)

(Electric machinery, Synchronous--Measurement)

SHEREMET'YEV, V.A., inzh.

Effect of remelting in a vacuum arc furnace on the properties of heat-resistant nickel-base alloys. Izv.vys. ucheb.zav.; chern.met. 2 no.10:43-48 0 '59.

(MIRA 13:3)

1. Institut metallurgii im.A.A.Baykova. Rekomendovano kollokviumom laboratorii No.2 Instituta metallurgii im.A.A. Baykova.

(Heat-resistant alloys) (Nickel alloys)  
(Vacuum metallurgy)

SHEREMET'YEV, V.A.

Phase measuring device for controlling the rotor lead angle in  
synchronous machines. Avtom.kont.i izm.tekh. no.4:109-115  
'60. (MIRA 13:8)

(Electric machinery, Synchronous--Regulation)

SHERMET'YEV, V.A.; BARANNIK, V.P.

Investigation of certain corrosion inhibitors as used in petroleum-production equipment. Izv.vys.ucheb.zav.; neft' i gaz 6  
no. 12:121-123 '63. (MIRA 17:5)

1. Sevastopol'skiy filial Odesskogo politekhnicheskogo instituta.



SHEREMET'YEV, V.A.; BARANNIK, V.P.

New inhibitor for slowing down the corrosion of oil-well equipment.  
Biul.tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch.i tekhn.inform.  
16 no.8:21-22 '63. (MIRA 16:10)

BARANNIK, V.P.; ANDREYEV, L.N.; SHEREMET'YEV, V.A.

Preventing the entrainment of chromic anhydride during chromium  
plating. Biul.tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch. i  
tekh.inform. 16 no.10:13-16 '63. (MIRA 16:11)

SHEREMET'YEV, V.A.; BARANNIK, V.P.

Corrosion inhibition of petroleum production equipment. Neft. i  
gas. prom. no.1:65-66 Ja-Mr '64. (MIRA 18-2)

BARANNIK, V.P., doktor khim. nauk; SHEREMET'YEVA, A.I., inzh.;  
SHEREMET'YEV, V.A., inzh.

Reducing the consumption of chromic anhydride in electrolytic  
chromium plating. Mashinostroenie no.4:76-78 J1-Ag '64.  
(MIRA 17:10)

SHCHERBAYEV, V.S., 6<sup>th</sup> Tech Sci---(diss) " Study of the per-  
formance of the a ~~speedy~~ <sup>rapid</sup> combustion furnace (on wood waste pro-  
ducts of loggings and wood processing." Len, 1953. 20 pp with  
graphs (Min of Higher Education. Polytech Inst in M.I. Kalinin),  
100 copies (K1,25-58,115)

-128-

SHEREMET'YEV, V.S.

Basementless furnace units for steam power plants of logging enterprises. Trudy LTA no.83:177-201 '59. (MIRA 13:4)

(Steam power plants)

LEBUTEN, I.O.; KURBANOV, Ye.V.; NOVIKOV, V.A.

Core results of testing the PK-48 rock drill. Trudy Inst. gor.  
Chim AN Kazakh. SSR 17:35-39 1955. (MIRA 18:7)

NOVIKOV, V.A.; LELYUKH, V.G.; SHEREMET'YEV, Ye.V.

Problems of using diesel hammers for borehole drilling in  
strip mining. Trudy Inst. gor. dela AN Kazakh. SSR 17:40-  
49 '65. (MIRA 18:9)



NOVIKOV, V.A.; SHEREMET'YEV, Ye.V.; LELYUKH, V.G.

The KSO-25 rig and results of its use in the Dzhezkazgan mine.  
Vest. AN Kazakh. SSR 23. no.7:72-76 31 '55.

(MIRA 18:8)

SH 1117 J. 101 YANBAIYU, A.I.

Results of using boring rigs at the Lanskazgan Mine. Trudy  
Inst. gor. dela N Kazakh. SSR 13:124-125 '64. (MIRA 17:7)

SHEREMET'YEV, Ye.V.

Comparative evaluation of the performance of PK-35B and KTSM-  
multiple stroke rock drills in Dzhezkazgan Mines. Izv. AN Kazakh.  
SSR. Ser. gor dela no.1:65-68 '60. (MIRA 13:10)  
(Dzhezkazgan region--Mining engineering)  
(Rock drills)

SHEREMET'YEV, Ye.V.

Testing the PK-35V fast percussion core drill. Vest.AN Kazakh.SSR  
16 no.11:106-107 N '60. (MIRA 13:12)  
(Boring machinery)

SHEREMET'YEV, Ye.V.

Modern drilling machines manufactured by West German and Swedish firms. Izv. AN Kazakh SSR, Ser. gor. dela no. 2: 114-120 : 61.

(Germany, West--Boring machinery) (Sweden--Boring machinery) (MIRA 15:2)

SHEREMET'YEV, Yu., inzh.

Ships are waiting for them... Prof.-tekh.obr. 22 no.11:12  
II '65. (MIRA 18:12)

1. Uchebno-metodicheskiy otdel po spetsial'nostyam transporta  
i svyazi Gosudarstvennogo komiteta po professional'no-  
tekhnicheskomu obrazovaniyu.

SEYFUL'-MULYUKOV, R.B.; TOLSTOY, N.S.; SHEREMET'YEV, Yu.F.

Structural manifestation of the tectonic elements in the Mesozoic sediments in the Volga Valley portion of Volgograd Province. Neftegaz.geol.i geofiz. no.9:9-14 '63. (MIRA 17:3)

1. Nauchno-issledovatel'skaya laboratoriya geologicheskikh krigeriyev otsenki perspektiv neftegazonosnosti Gosudarstvennogo geologicheskogo komiteta SSSR.

DOLITSKIY, V.A.; KUCHERUK, Ye.V.; TOLSTOY, N.S.; SHEREMET'YEV, Yu.F.

Structural map of the northeastern part of Volgograd Province.  
Izv.vys.ucheb.zav.; geol. i razv. 6 no.11:143-148 N '63.

(MIRA 18:2)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. I.M.Gubkina i Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova.



BARANNIK, V.P., doktor khim. nauk; SHEREMET'YEVA, A.I., inzh.;  
SHEREMET'YEV, V.A., inzh.

Reducing the consumption of chromic anhydride in electrolytic  
chromium plating. Mashinostroenie no.4:76-78 J1-Ag '64.

(MIRA 17:10)

MIKHAYLOV, P.K., VOLSTA, I.N., SNYRENET'YEVA, G.I.

Kinetics of zinc chloride ammoniate formation at high temperatures.  
Ukr. khim. zhur. 30 nov. 1943 '64. (MIRA 17:6)

1. Nauchno-issledovatel'skiy institut osnovnoy khimii.

USSR/Microbiology - General Microbiology.  
Variability and Heredity.

F

Abs Jour : Ref Zhur Biol., No 22, 1958, 99273  
Author : Sheremet'yeva, L.G.  
Inst : Minsk Medical Institute  
Title : Variability of Dysentery Bacilli in the Immune Organism  
under the Influence of Antibiotics.  
Orig Pub : Sb. nauchn. rabot. Minskiy med. in-t, 1957, 18, 43-55  
Abstract : By passing dysentery bacteria of Flexner's type through  
the organism of immune mice, coccal variants were obtained,  
typical in biochemical properties, with a lowered  
agglutinability and virulence, but retaining immunogenic  
properties. Passing through bile and slanting agar produced  
a reversion to the previous rod-shaped form.  
Under the action of streptomycin, biomycin, and

Card 1/2

- 13 -

USSR/Microbiology - General Microbiology.  
Variability and Heredity.

F

Abs Jour : Ref Zhur Biol., No 22, 1958, 99273

synthomycin on the dysentery cultures, variants resistant  
to the corresponding antibiotics were obtained,  
which changed certain morphological, cultural and partially  
serological properties. Noted is a significant lowering of  
virulence of antibiotic-resistant strains as compared with  
initial cultures. Immunogenic properties in the synthomycin-  
resistant variant were retained. --  
G.P. Kalina

Card 2/2

RAKHMANOV, V.A.; LINDENBRATEN, L.D.; ROMANENKO, G.F.; KAZANTSEVA, N.S.;  
SHEREMET'YEVA, L.G.

Skin changes in radiation exposure regions at late dates after  
radio- and gammatherapy of malignant tumors. Med. rad. 8  
no.10:43-47 O '63. (MIRA 17:6)

1. Iz kafedry rentgenologii i radiologii (zav. - prof. L.D.  
Lindenbraten) i kafedry kozhnykh bolezney (zav. - chlen-  
korrespondent AMN SSSR prof. V.A. Rakhmanov) I-go Moskovskogo  
ordena Lenina meditsinskogo instituta imeni I.M. Sechenova.

ZADOV, Aleksandr Grigor'yevich; ANISIMOV, Aleksandr Mikhaylovich; BAZLOV, Mikhail Nikolayevich; BRAGIN, Viktor Alekseyevich; GUDKOV, Boris Aleksandrovich, KOROTKOV, Sergey Tikhonovich, SHTEYNER, Samuil Iovelevich; ~~SHKREMET' YEVA~~, L.P., vedushchiy red.; TROPIMOV, A.V., tekhn.red.

[Petroleum industry in Krasnodar Territory] Neftianaya promyshlennost' Krasnodarskogo kraia. Moskva, Gos.nauchno-tekhn.izd-vo neft. i gorno-toplivnoi lit-ry, 1957. 69 p. (MIRA 11:2)  
(Krasnodar Territory--Petroleum industry)

L 9898-63 EWP(q)/BDS/EWT(m)--AFFTC--JD/WB  
 ACCESSION NR: AP3000412

S/0076/63/037/005/1037/1042

AUTHOR: Tsvetnova, R. V.; Dyatkina, S. L.; Sheremet'yeva, S. N.; Kel'n, A. R.;  
Krasil'shchikov, A. I.

TITLE: Corrosion and passivity of <sup>21</sup>titanium in sulfuric acid solution

SOURCE: AN SSSR. Zhurnal fizicheskoy khimii, v. 37, no. 5, 1963, 1037-1042

TOPIC TAGS: corrosion, passivity of titanium, electrochemical behavior of Ti;  
 passivating adsorption layer

ABSTRACT: The electrochemical and corrosion behavior of Ti in 5 and 10 N sulfuric acid solutions, alone and in the presence of additions of potassium iodide, tetraethylammonium iodide, copper sulfate and nitric acid, in a nitrogen atmosphere, has been investigated by the potentiometric and discharge curve methods, as well as by gravimetric determination of the corrosion losses. Passivation is impeded by raising the temperature. The addition of I sup -, Cu sup 2+ and HNO sub 3 retards anodic solution of Ti in H sub 2 SO sub 4 and facilitates initial passivation of the metal. It is suggested that the

Card 1/2

L 9898-63

ACCESSION NR: AP3000412

passivity of Ti is due to the formation of a passivating adsorption layer on its surface. Orig. art. has: 3 equations, 1 table, 8 figures.

ASSOCIATION: Gosudarstvennyi nauchno-issledovatel'skiy i proektniy institut azotnoy promy\*shlennosti (State Scientific Research and Design Institute for Nitrogen Industry)

SUBMITTED: 22Jan62 DATE ACQ: 19Jun63

ENCL: 00

SUB CODE: 00

NR REF SOV: 011

OTHER: 006

Card

2/2 *sem/dib*

BATRKOVA, T.V.; SHEKHEMET'YEVA, T.V.; KAMALOV, S.K.; PYRKOV, L.M.

Production of fiber-forming materials on the base of acrylonitrile copolymers with N-alkyl derivative amides of citraconic and maleic acid. Khim. volok. no.6:17-19 '65. (MIRA 18:12)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR.  
Submitted October 10, 1964.



L 37203-66 EWT(m)/EWP(j)/T IJP(c) WH/RM/JWD

ACC NR: AP6012416 (A) SOURCE CODE: UR/0183/65/000/006/0017/0019

AUTHOR: Batrakova, T. V.; Sheremet'yeva, T. V.; Kamalov, S. K.;  
Pyrkov, L. M.

ORG: IVS AN SSSR

TITLE: Preparation of fiber-forming materials based on acrylonitrile  
copolymers with N-alkyl amides of citraconic and maleic acids

SOURCE: Khimicheskiye volokna, no. 6, 1965, 17-19

TOPIC TAGS: synthetic fiber, acrylonitrile, copolymerization, chemical reaction, tensile strength

ABSTRACT: New copolymers of acrylonitrile with unsubstituted and with N-substituted monoamides of citraconic and maleic acids were synthesized and characterized. Copolymerizations were in aqueous media using oxidation-reduction initiators. The monoamides copolymerize with acrylonitrile in different molar ratios; their activity is greater than the activity of pure acrylonitrile since resultant copolymers were richer in monoamide than the composition of the initial mixture. Fibers formed from the copolymers were stronger than polyacrylonitrile fibers.

Card 1/2

UDC: 677.494.745.32

L 37203-66

ACC NR: AP6012416

Fibers formed when castor oil was used in the hardening bath had higher strength indices than fibers formed in a 40% aqueous dimethylformamide solution. Greatest strength was obtained in compositions containing 4-5 mol% of the second component, regardless of the substituent at the amide nitrogen. Orig. art. has: 3 tables and 1 figure.

SUB CODE: 07, 11/ SUBM DATE: 10Oct64/ ORIG REF: 003/ OTH REF: 001

Card 2/2/HLP

L 35 944-00 EMP(M)/EMP(J)/T IJP(c) NW/JWD/RM

ACC NR: AP6012720

(A)

SOURCE CODE: UR/0190/66/008/004/0732/0735

AUTHOR: Sheremeteva, T. V.; Gusinskaya, V. A.

ORG: Institute of Macromolecular Compounds, AN SSSR (Institut vysokomolekulyarnykh soyedineniy AN SSSR)

TITLE: Preparation of succinamides with a regular structure

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 8, no. 4, 1966, 732-735

TOPIC TAGS: copolymerization, succinamide, polyamide

ABSTRACT: The migrational copolymerization<sup>1</sup> of succinamides with various diamines<sup>1</sup> was investigated. The reaction of migrational copolymerization proceeds at low temperatures from -10 to 78 C in an aqueous alkali medium with pH = 9—9.5. It is shown that migrational copolymerization of succinamides with diamines can result in homogeneous and mixed regular polysuccinamides with a molecular weight of 15,000 to 20,000. Polysuccinamides were synthesized from hexamethylenedisuccinamide and typed for the first time. The authors thank Ye. I. Pokrovskiy and Ye. F. Fedorova for taking the IR spectrum and the analytical Laboratory of the Institute of Macromolecular Compounds for carrying out analyses. Orig. art. has: 2 tables.

[NT]

SUB CODE: 11, 07/ SUBM DATE: 03May65/ ORIG REF: 003/ OTH REF: 002

Card 1/1

LYASHENKO, V.D. [deceased]; KOLESOVA, M.B.; ALEKSANDR, Kh.L.; SHEREMET'YEVA,  
V.A.

Sulfur-containing derivatives of purines and pyrimidines. Zhur.  
ob. khim. 34 no.8:2752-2756 Ag '64. (MIRA 17:9)

1. Leningradskiy khimiko-farmatsevticheskiy institut.

L 22739-66 EWP(k)/EWP(h)/EWT(d)/EWP(l)/EWP(v)

ACC NR: AP6013621

SOURCE CODE: UR/0105/65/000/009/0088/0088

AUTHOR: Aleksenko, G. V.; Biryukov, V. G.; Borisenko, N. I.; Borushko, V. S.;  
Kovalev, N. N.; Kostenko, M. P.; Obolenskiy, N. A.; Petrov, G. N.; Rozanov, A. A.;  
Skidanenko, I. T.; Timofeyev, P. V.; Chilikin, M. G.; Sheremet'yevskiy, N. N.

8/  
79  
B

ORG: none

TITLE: Honoring the 60th birthday of Professor Andronik Gevondovich Iosif'yan

SOURCE: Elektrichestvo, no. 9, 1965, 88

TOPIC TAGS: academic personnel, scientific personnel, automation, electric engineering, servosystem, automatic control

ABSTRACT: 21 July 1965 was the 60th birthday of the eminent Soviet scientist in the field of electrical mechanics and automation, Dr. Techn. Sci., Professor, Member of the AS Armenian SSR, Hero of Socialist Labor, Laureate of the State Prize, A. G. Iosif'yan. His scientific contributions are numerous. During 1931-1934 he developed the theory of the combined synchronous control circuit with AC commutator generator. Subsequently, he invented the contactless selzyn. He was the first Soviet scientist to publish studies of thyatron-based servosystems for the control of electrical machinery. During 1940-1945 he made a major contribution to the theory of electrical machinery and automatic control by publishing studies on the general theory of the elec-

2

Cord 1/2

UDC: 621.3:65.011.56

L 22739-66

ACC NR: AP6013621

2  
tromechanical amplifier (amplidyne) and power-driven synchronous servosystems. In his 35 years of scientific activity A. G. Iosif'yan has published more than 60 studies on many problems of electrical mechanics and automatic control and has been the author of 24 inventions. A. G. Iosif'yan is the founder and director of the All-Union Order of Labor Red Banner Scientific Research Institute of Electromechanics, and it was on his initiative that branches of this institute have been established in Leningrad, Tomsk, Yerevan, Frunze, Iskra, and Kudinovo. Between 1950 and 1955 he held the elective office of Vice President of the Armenian Academy of Sciences, and since 1955 he has been Editor-in-Chief of the journal Elektrotehnika (Electrical Engineering). He is also the bearer of many other honors. Among other things, he was elected delegate to the 22nd Congress of the CPSU. Orig. art. has: 1 figure. [JPRS]

SUB CODE: 09 / SUBM DATE: none

Card 2/2 *Id*

**CIA-RDP86-00513R001549220018-9"**

BARSKIY, S.S., kand.tekhn.nauk; SHEREMET'YEVSKIY, N.N., doktor tekhn.  
nauk

Problems concerning the generation of electric power with increased  
frequency. Vest.elektroprom. 33 no.12:54-60 D '62. (MIRA 15:12)

(Electric power production)



SHERMET'YEVSKIY, P. P.

AID P - 2530

Subject : USSR/Electricity  
Card 1/1 Pub. 26 - 14/32  
Author : Sheremet'yevskiy, P. P., Eng.  
Title : ~~25 years of operation of the Fergana Heat and Electric~~  
Power Plant  
Periodical : Elek sta, 6, 41, Je 1955  
Abstract : The article describes the development of the region  
serviced by the Fergana Tets in the 25 years of its  
operation.  
Institution : None  
Submitted : No date

SHEREMET'YEVSKIY, P.P., inzh.

Cost of electric and thermal energy in steam power plants.

Elek.sta. 29 no.6:42-43 Ja '58.

(MIRA 11:9)

(Steam power plants--Costs)

AKULOV, N.S.; SHEREMUSHKINA, A.V.

On the theory of Hall effect in ferromagnetic materials. Dokl.  
AN SSSR 98 no.1:35-38 S '54. (MLRA 7:12)

1. Deystvitel'nyy chlen Akademii nauk BSSR (for Akulov).  
(Hall effect) (Ferromagnetism)

SHERENGOVYY, P. Z.

SHERENGOVYY, P. Z. "In Regard to the Biology of the Black Canker Organism of Fruit Trees (Apples and Pears)," Sbornik Studencheskikh Nauchno-Issledovatel'skikh Rabot Umanskogo Sel'skokhoziaistvennogo Instituta, no. 1, 1951, pp. 45-49.

106 Uml

SO: SIRA SI-90-53, 15 Dec 1953

PERESYPKIN, V.F., doktor biolog.nauk; SHERENGOVOY, P.Z.

Role of trace element fertilizers in increasing the  
resistance of black currants to Septoria ribis Desm.  
Zashch. rast. ot vred. i bol. 6 no.8:27 Ag '61. (MIRA 15:12)

1. Zaveduyushchiy Reshetilovskim sortouchastkom (for  
Sherengovoy).  
(Poltava Province—Currants—Disease and pest resistance)  
(Plants, Effect of trace elements on)

SHERENGOVYY, P., kand. biolog. nauk (Poltavskaya oblast')

Stem form of the Septoria infection of currants. Zashch. rast.  
ot vred.: 1 vol. 10 no.9:41-42 '65. (MIRA 18:11)

SHERENKOV, I. A.: Master Tech Sci (diss) -- "The dispersion of a fast-moving stream outside the nozzles of water lines and small bridges". Khar'kov, 1958. 20 pp (Min Higher Educ Ukr SSR, Khar'kov Construction Engineering Inst), 160 copies (KL, No 5, 1959, 152)

ИЗВЕСТИЯ АКАДЕМИИ НАУК СССР, 1958, № 1, с. 72-78.

AUTHOR: Sherenkov, I. A. (Khar'kov)

24-1-9/26

TITLE: On a plane problem of flow of a turbulent current of incompressible liquid. (O ploskoy zadache rastekaniya burnogo potoka neszhimayemoy zhidkosti).

PERIODICAL: Izvestiya Akademii Nauk, Otdeleniye Tekhnicheskikh Nauk, 1958, No.1, pp. 72-78 (USSR).

ABSTRACT: The problem of plane motion of a current of incompressible liquid can be reduced to the solution of the following equations of motion:

$$\begin{aligned} v_x \frac{\partial v_x}{\partial x} + v_y \frac{\partial v_x}{\partial y} &= -g \frac{\partial h}{\partial x} - g f_x, \\ v_x \frac{\partial v_y}{\partial x} + v_y \frac{\partial v_y}{\partial y} &= -g \frac{\partial h}{\partial y} - g f_y \end{aligned} \quad (1.1)$$

where  $f_x$  and  $f_y$  are terms which take into account frictional forces and inclination of the bottom. These equations are obtained assuming hydrostatic distribution of pressure with depth and the independence of the velocity

Card 1/6 vector of depth at any point (x, y) in the plane of the



24-1-9/26

On a plane problem of flow of a turbulent current of incompressible liquid.

(Eq.1.4) can be reduced to the single differential equation:

$$\left(1 - \frac{v_x^2}{gh}\right) \frac{\partial^2 \varphi}{\partial x^2} - 2 \frac{v_x v_y}{gh} \frac{\partial^2 \varphi}{\partial x \partial y} + \left(1 - \frac{v_y^2}{gh}\right) \frac{\partial^2 \varphi}{\partial y^2} = 0 \quad (1.5)$$

where

$$v_x = \frac{\partial \varphi}{\partial x}, \quad v_y = \frac{\partial \varphi}{\partial y}$$

Eq.(1.5) in the present case will be of the hyperbolic type. The equations of its characteristics will be of the form:

$$\frac{dy}{dx} = \frac{v_x v_y \pm \sqrt{gh(v^2 - gh)}}{v_x^2 - gh} \quad \text{or} \quad \frac{dy}{dx} = \operatorname{tg}(\beta \mp \alpha) \quad (1.6)$$

where the upper signs refer to the characteristics of the first family and the lower refer to the characteristics of the second family.  $\beta$  denotes the angle between the

Card 3/6

24-1-9/26

On a plane problem of flow of a turbulent current of incompressible liquid.

gives a curvilinear system of coordinates  $\xi\eta$  which changes with changes in the flow. The values of the curvilinear coordinates which are functions of  $x$  and  $y$ , are connected with the current parameters via Eq.(1.8). Thus:

$$\beta = \xi - \eta, \quad f(\alpha) = \xi + \eta \quad (3.1)$$

where

$$f(\alpha) = \sqrt{3} \arctg \frac{\operatorname{ctg} \alpha}{\sqrt{3}} + \alpha = \sqrt{3} \arctg \frac{\sqrt{F^2 - 1}}{\sqrt{3}} + \arcsin \frac{1}{F}$$

It follows from Eq.(3.1) that along a line  $F = \text{const}$  the following condition is satisfied:

$$\xi + \eta = \text{const} \quad (3.3)$$

In the region of a simple wave  $F = \text{const}$  will be a straight line characteristic and in the region of interaction of simple waves the line  $F = \text{const}$  will be

Card 5/6

ROMANOVSKIY, Vladimir Nikolayevich, kand. tekhn. nauk; SHERENKOV,  
Viktor Nikolayevich; FIALKINA, G.A., red.; TARASOVA, V.V.,  
tekhn. red.

[Secondary school production training of electricians; laboratory  
work]Proizvodstvennoe obuchenie elektrikov v srednei shkole; la-  
boratorno-prakticheskie raboty. Moskva, Izd-vo APN RSFSR, 1962.  
124 p. (MIRA 15:12)

(Electric engineering--Study and teaching)

SHERENKOV, Viktor Nikolayevich; ROMANOVSKIY, V.N., kand. tekhn.  
nauk, red.; KOPTEKOVA, L.A., red.; POLUKAROVA, Ye.K.,  
tekhn. red.

[Vocational instruction in secondary schools in electrical  
engineering; class work on the topic "Electric engineering  
materials"] Proizvodstvennoe obuchenie v srednei shkole po  
elektrotekhnicheskim professiiam; pourochnye razrabotki temy  
"Elektricheskie materialy." Pod red. V.N.Romanovskogo. Mo-  
skva, Izd-vo APN RSFSR, 1963. 103 p. (MIRA 16:6)  
(Electric engineering—Study and teaching)

KREMNEV, O.A.; BOROVSKIY, V.R.; SHELMANOV, V.A.; SHERENKOVSKIY, E.V.

Heat treatment of synthetic fibers during their stretch forming. Khim.  
volok no.6:18-23 '63. (MIRA 17:1)

1. Institut teploenergetiki AN UkrSSR.

BOROVSKIY, V.R. [Borovs'kiy, V.R.], kand.tekhn.nauk; SHERENKOVSKIY, Ye.V.  
[Sherenkovs'kiy, E.V.]; MISHNAYEVSKIY, L.M. [Mishnaievs'kiy, L.M.];  
GRITS'KOV, I.V. [Hryts'kov, I.V.]

Twisting and drawing machine with thermal plasticization of the  
moving synthetic fibers. Leh.prom. no.3:8-11 JI-S '63.  
(MIRA 16:11)

1. Institut teploenergetiki AN UkrSSR (for Borovskiy, Sherenkovs-  
kiy, Mishnayeveskiy). 2. Kiyevskiy kombinat iskusstvennogo volokna  
(for Grits'kov).

SHERENTSI, A. A.

SHERENTSI, A.A.

[Light vaulted structures of brick] Tonkie kirpichnye svody.  
Moskva, Akademiia arkhitektury, 1945. 76 p. (MLBA 7:5)  
(Vaults)

SHERENTSI, A. A.

32468. Komplektnoye maloetazhnoye domostroyeniye iz betona. Materialy i konstruktsii v sovr. arkhitekture, No. 3, 1949, s. 53-74.

SO: Letopis' Zhurnal'nykh Statey, Vol. 50, Moskva, 1949



SHERENTSI, A. A.

32438. 1947, N. I. KOLCHENKO, A. V. i SHERENTSI, A. A. Eksperimental'noye  
stroitel'stvo shlakobetonnoy doma . Materialy i konstruktsii v sovr. arkhitekture,  
NO. 3, 1.4, s. 108-20

SO: Letopis Zhurnal'nykh Statey, Vol. 44

SHERENTISIS, A. A.

ARBUZOV, N. T. - Inzh. i, SHERENTISIS, A. A. - Kand Tekh, Nauk

Nauchno-issledovatel 'skiy institut stroitel 'noy tekhniki Akademii Arkhitektury SSSR

Konstruktsii Mnogoetazhnogo zhilogo domas kirpichnymi nesushchimi stanami Page 67

SO: Collection of Annotations of Scientific Research Work on Construction, completed  
in 1950.  
Moscow, 1951

SHERENTSIIS, A.A., kandidat tekhnicheskikh nauk.

[Principal types of multi-story stone apartment houses] Osnovnye konstruktsii mnogoetazhnykh kammennykh zhilykh domov. Moskva, Gos.izd-vo lit-ry po stroitel'stvu i arkhitekture, 1953. 55 p. (MIRA 6:7)  
(Architecture--Design and plans)

CHERENTSIS, A.A.

MOROZOV, N.V.; NIKOL'SKIY, V.M., kandidat tekhnicheskikh nauk; TIMOFEEV, A.K., kandidat tekhnicheskikh nauk; ~~SHERENTSIS, A.A.~~, kandidat tekhnicheskikh nauk; ROSTOV'TSEVA, M.P., redaktor; ~~DAKHOV, V.S.~~, tekhnicheskiiy redaktor.

[Construction procedures for the soundproofing of walls, floors, and ceilings of multistoried apartment houses] Konstruktivnye reshenia zvukoizoliatsii mezhkvartirnykh sten i mezhduetazhnykh perekrytii mnogoetazhnykh zhilykh domov. Moskva, Gos. izd-vo lit-ry po stroitel'stvu i arkhitekture, 1954. 39 p. (MLRA 7:8)  
(Soundproofing)

SHERENTSI, A.  
PLESSEYN, B.; SHERENTSI, A. pri uchastii: BAYAR, O.; BUKHAROV, A.;  
KOREN'KOV, V.; LEVANTIN, N.; MAKOTINSKIY, M.; ROZANOV, N.; KHAZANOV, D.  
FRIDBERG, G.V., red. izd-va; TOKER, A.M., tekhn. red.

[Problems of unification and a unified catalog of construction  
elements for apartment houses and public buildings; a report]  
Voprosy unifikatsii i edinyi katalog stroitel'nykh izdelii dlia  
zhilishchnogo i kul'turno-bytovogo stroitel'stva; soobshchenie...  
[Moskva, Gos. izd-vo lit-ry po stroit. i arkhitekt., 1955] 24 p.  
[Bound with Voronkov, A. Industrializatsiia otdelochnykh rabot.  
Moskva, 1955] (MIRA 11:6)

(Building) (Standards, Engineering)

SHERENTSI<sup>IS</sup>, Aleksand Abramovich, kandidat tekhnicheskikh nauk; ROSTOVTS<sup>EV</sup>,  
M.P., redaktor izdatel'stva; KOTIK, B.A., redaktor izdatel'stva;  
BOROVNEV, N.K., tekhnicheskii redaktor

[Unification of construction plans for apartment houses and public  
buildings in large scale building operations] Unifikatsiia konstruk-  
tivnykh skhem zhilykh i obshchestvennykh zdani<sup>i</sup> massovogo stroitel'-  
stva; nauchnoe soobshchenie. Moskva, Gos. izd-vo lit-ry po stroit. i  
arkhitekture, 1956. 61 p. (MLRA 9:11)  
(Public buildings)  
(Apartment houses)

KORMEN' KOV, V.Yo.; KHAZANOV, D.B.; SHERENTSI, A.A.; KUZNETSOV, G.F.,  
redaktor; DMITRIYEVA, N.L., redaktor izdatel'stva; MEDVEDEV, L.Ya.,  
tekhnicheskii redaktor

[Unification of three-dimensional planning units and construction  
elements of mass-produced apartment houses and public buildings]  
Unifikatsiia ob'emno-planirovochnykh i konstruktivnykh elementov  
zhilykh i obshchestvennykh zdani massovogo stroitel'stva. Pod  
obshchei red. G.F.Kuznetsova. Moskva, Gos. izd-vo lit-ry po stroit.  
i arkhitekture, 1956. 140 p. (MLRA 9:9)

1. Chlen-korrespondent Akademii arkhitektury SSSR (for Kuznetsov)  
(Building) (Architecture--Designs and plans)

SHERENTSIK A. A. kandidat tekhnicheskikh nauk.

Competition for apartment house and public building designs. Biul.  
stroitel'tekh. 13 no.11:1-8 N '56. (MLRA 10:1)

1. Institut stroitel'noy tekhniki Akademii stroitel'stva i arkhi-  
tektury SSSR.

(Architecture--Designs and plans--Competitions)  
(Apartment houses) (Public buildings)



~~SHERENTSI~~ A.A., kand.tekhn.nauk, red.; ARBUZOV, N.T., kand.tekhn.nauk,  
red.; GOLUBENKOVA, L.A., red. izd-va; BOROVNEV, N.K., tekhn.red.

[Results of the 1956 All-Union competition for structures for  
residential building and roofs of schools, club houses and  
motion-picture theaters] Itogi otkrytykh vsesoiuznykh konkursov  
1956 g. na konstruktsii dlia zhilishchnogo stroitel'stva i  
pokrytii zalov shkol, klubov i kinoteatrov. Moskva, Gos.izd-vo  
lit-ry po stroit.i arkhitekt., 1957. 81 p. (MIRA 11:1)  
(Apartment houses) (Roofs)

SOFINSKIY, I.D.; BLOKHIN, P.N.; GEL'BERG, L.A.; ZHDANOV, P.M.; IVASHCHENKO, I.P.; LEVINA, G.P.; NAUMOVA, N.A.; SMIRNOV, N.S.; ARONOVA, R.I.; NIKOLAYEV, N.A.; SHERENTSI, A.A.; KOVALEVSKIY, I.I.; LOBACHEV, P.V.; SLADKOV, S.P.; DZIGAN, A.V.; FORAPONOV, N.K. Primarni uchastiye: ARGANSKIY, A.S.; ASMUS, Ye.N.; BIZHALOVA, Ye.M.; BOGATYKH, Ya.D.; BURENIN, V.A.; GOL'DING, N.P.; DOMSHLAK, I.P.; MOSKALEV, S.A.; RABINOVICH, S.G.; ROGOVSKIY, L.V.; KHOKHLOVA, L.P.; SHESTOPAL, N.M.. RUBANENKO, B.R., glavnyy red.; GALKIN, Ya.G., zamest.glavnogo red.; SAPRYKIN, V.A., red.; SHCHEPETOV, V.M., red.; NOVITCHENKO, K.M., nauchnyy red.; VILKOV, G.N., inzh., red.izd-va; TYAPKIN, B.G., red. izd-va; EL'KINA, E.M., tekhn.red.

[Building your own home] Spravochnik individual'nogo zastroishchika. Moskva, Gos.izd-vo lit-ry po stroit.materialam, 1958. 442 p. (MIRA 12:2)

1. Akademiya stroitel'stva i arkhitektury SSSR.  
(Building)

SEP 14 1958  
ARBUZOV, N.T., kand.tekhn.nauk; GROMOV, V.L., kand.tekhn.nauk; GORSKIY, B.Z.,  
kand.tekhn.nauk; KALISHCHUK, A.L., kand.tekhn.nauk; KUNITSKIY, L.P.,  
kand.tekhn.nauk; KURBATOV, D.I., kand.tekhn.nauk; MOROZOV, N.V., kand.  
tekhn.nauk; PITYUGIN, A.I., kand.tekhn.nauk; PRIMAK, N.S., kand.tekhn.  
nauk; SEMENTSOV, S.A., kand.tekhn.nauk; ULITSKIY, I.I., kand.tekhn.  
nauk; KHUTORYANSKIY, M.S., kand.tekhn.nauk; SHERENTSIY, A.A., kand.  
tekhn.nauk; PINSKIY, Ye.A., inzh.; KARSAK, Yu.Ye., red.; PATSALYUK,  
P.M., tekhn.red.

[Civil engineering handbook] Spravochnik po grazhdanskomu stroitel'-  
stvu. Izd. 3-e, perer. i dop. Kiev, Gos. izd-vo tekhn. lit-ry USSR  
Vol. 1. 1958. 867 p. (MIRA 11:5)

(Civil engineering--Handbooks, manuals, etc.)

SHERENTSI, A.A.

ARBUZOV, N.T., kand.tekhn.nauk; GROMOV, V.L., kand.tekhn.nauk; KURBATOV,  
D.I., kand.tekhn.nauk; MOROZOV, N.V., kand.tekhn.nauk; PITYUGIN,  
A.I., kand.tekhn.nauk; ~~SHERENTSI, A.A.~~, kand.tekhn.nauk; SHCHEPETOV,  
A.N., red.; KORSACK, Yu.Ye., red.; MATUSEVICH, S.M., tekhn.red.

[Manual of civil engineering] Spravochnik po grazhdanskomu stroitel'-  
stvu. Izd. 3-e, perer. i dop. Kiev. Gos.izd-vo tekhn. lit-ry USSR.  
Vol.2. 1958. 560 p. (MIRA 11:7)

(Civil engineering)

SHERENTIS, A.

SHERENTIS, A., kand.tekhn.nauk

Results of the competition for the most effective construction  
elements. Zhil.stroi. no.4/5:28-29 '58. (MIRA 12:6)  
(Precast concrete construction)  
(Architecture--Competitions)

SHERENTSI, A.A., kand.tekhn.nauk; BRUSILOVSKIY, A.I., kand.tekhn.nauk;  
CHEFRANOVA, O.S., inzh.; BORODINA, I.S., red.izd-vs; TEMKINA, Ye.L.,  
tekhn.red.

[Designs of multistoried apartment houses] Konstruktivnye skhemy  
mnogoetazhnykh zhilykh domov. Moskva, Gos.izd-vo lit-ry po stroit.,  
arkhit. i stroit.materialam, 1959. 117 p. (MIRA 13:7)  
(Apartment houses)

ARBUZOV, N.T., kand.tekhn.nauk; GROMOV, V.L., kand.tekhn.nauk; GORSKIY, B.Z., kand.tekhn.nauk; KALISHCHUK, A.L., kand.tekhn.nauk; KUNITSKIY, L.P., kand.tekhn.nauk; KURBATOV, D.I., kand.tekhn.nauk; MOROZOV, N.V., kand.tekhn.nauk; PITYUGIN, A.I., kand.tekhn.nauk; PRIMAK, N.S., kand.tekhn.nauk; SEMENTSOV, S.A., kand.tekhn.nauk; ULITSKIY, I.I., kand.tekhn.nauk; KHUTORYANSKIY, M.S., kand.tekhn.nauk; SHERENTSIS, A.A., kand.tekhn.nauk; PINSKIY, Ye.A., inzh.; KORSAK, Yu.Ye., red.; MATUSEVICH, S.M., tekhn.red.

[Manual on civil engineering] Spravochnik po grazhdanskomu stroitel'stvu. Izd.4., ispr. Kiev, Gos.izd-vo tekhn.lit-ry. Vol.1. 1959. 867 p. Vol.2. 1959. 560 p. (MIRA 12:8)  
(Civil engineering)

GEL'BERG, L.A.; FEDOROV, G.I.; ZAL'TSMAN, A.M.; KAPUSTYAN, Ye.D.;  
BAYAR, O.G.; DELLE, V.I.; SHERENTSI, A.A.; MAKRAKOVA, T.G.;  
POMED, Yu.B.; KOLOTILKIN, B.M.; GLADKOV, B.V.; CAVALOV,  
O.V., red.; GOLOVKINA, A.A., tekhn. red.

[Housing construction in the U.S.S.R.; present state and  
prospects for development] Zhilishchnoe stroitel'stvo v SSSR;  
sostoianie i perspektivy razvitiia. Moskva, Gosstroizdat,  
1962. 202 p. (MIRA 15:11)

(Apartment houses) (Construction industry)



TENKIN, L.Ye., inzh., red.; SHERENTISIS, A.A., kand. tekhn. nauk,  
red.; NIKOL'SKIY, V.N., kand. tekhn. nauk; red.; BRILING,  
R.Ye., kand. tekhn. nauk, red.; IL'INSKIY, V.M., kand.  
tekhn. nauk, red.

[Construction specifications and regulations] Stroitel'nye  
normy i pravila. Moskva, Gosstroizdat. Pt.2. Sec.V. ch.6.  
[Enclosing structures; design specification] Ograzhdaiu-  
shchie konstruksii; normy proektirovaniia (SNiP II-V. 6-62).  
1963. 18 p. (MIRA 17:3)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam  
stroitel'stva. 2. Gosstroy SSSR (for Temkin). 3. Nauchno-  
issledovatel'skiy institut stroitel'noy fiziki Akademii  
stroitel'stva i arkhitektury SSSR (for Nikol'skiy). 4. Nauchno-  
issledovatel'skiy institut Glavnogo upravleniya po zhilishch-  
nomu i grazhdanskomu stroitel'stvu v g.Moskve (for Briling).  
5. Moskovskiy inzhenerno-stroitel'nyy institut (for Il'inskiy).  
6. Tsentral'nyy nauchno-issledovatel'skiy i proyektiro-eksperi-  
mental'nyy institut industrial'nykh, zhilykh i massovykh ~~zdanii~~  
turno-bytovykh zdanii Akademii stroitel'stva i arkhitektury  
SSSR (for Sherentsis)

GOROZOV, Nikolay Viktorovich, doktor tekhn. nauk; ARBUZOV, Nikolay Terent'yevich, kand. tekhn. nauk; GROMOV, Vasiliy Lukich kand. tekhn. nauk [deceased]; KALISHUK, Aleksandr Luk'yanovich, kand. tekhn. nauk; KURBATOV, Dmitriy Ivanovich, kand. tekhn. nauk; PITYUGIN, Mikhail Semenovich, kand. tekhn. nauk; KHUTORYANSKIY, Aleksandr Abramovich, kand. tekhn. nauk; SHERENTSI, Aleksandr Abramovich, kand. tekhn. nauk; LAVRIK, Gennadiy Ivanovich, arkh. MADERA, Georgiy Il'ich, inzh.; PINSKIY, Ye'im Aronovich, inzh.; SHKLYAR, Aleksandr Samoylovich, inzh.; BERGER, K.V., red.; VISHNEVYY, V.V., red.; ISHCHENKO, N.S., red.

[Manual on civil engineering] Spravochnik po grazhdanskomu stroitel'stvu. Izd.5., perer. i dop. Kiev, Budivel'nyk, 1965. 2 v. (MIRA 18:2)

SHERENTIS, A. N.

"Protection Angle of Cable Lightning Conductors on Metal Towers for Electric Transmission Lines," Elect. Stan., No. 8, 1949; Engr.

SHERENTSI, A. N.

26374 Zashchitnyy ugol tgoi tgosovykh molniyeotvodov na metallicheskih.  
Oporakh liniy zlektroperedachi. (c primech. Red.) elektr. stantsii, 1949, No. 8,  
s. 34-35.

SO: LETOPIS' NO. 35, 1949

SHENENTSI, A. M.

"Rules for the Construction of Electrical Engineering Installations," No. 12, 1950.  
Engn Teploenergoprojekt, Ministry of Electric Power Stations. -c1950-.

SHERENTIS A. N.

USSR/Electricity - Transmission Lines Clamps

Jan 51

"Release Clamps for Electrical Transmission Lines," S. S. Rokotyan, B. V. Sololov,  
A. N. Sherentsis, Engineers, "Teploelektroproyekt"

"Elektrichestvo" No 1, pp 60-64

Discusses constr of release clamps. Anal of their operation in elec power systems  
of Min of Elec Power standpoint. Submitted 17 Aug 50

181T33

SHERENTSI, A.N.

USSR/Electricity - Test Equipment      Jun 51  
Transformers

"Problems of Standardizing Test and Discharge  
Voltages of High-Voltage Transformers, Equip-  
ment, and Insulators," A. N. Sherentse, Eng'r.  
Teplioelektroroyekt

"Elektrichestvo" No 6, pp 70-74

Discusses proposals made by VEI (All-Union Elec  
Eng Inst) regarding the standardization of test  
and discharge voltages of high-voltage trans-  
formers, equipment, and insulators. Gives ac-  
count of the decisions of the conference examg

200T20

USSR/Electricity - Test Equipment      Jun 51  
(Contd)

the draft of a std. This conference was called  
by the High-Voltage Eng Sec of VNITOE (All-Union  
Sci and Tech Soc of Power Engineers). Submitted  
30 Nov 50.

200T20

SHERENTSI, A.N.

PHASE I

TREASURY ISLAND BIBLIOGRAPHIC REPORT

BOOK

Call No.: TN686.T54

Authors: EFROIMOVICH, Yu.E., Cand. of Tech. Sciences  
KRICHEVSKIY, G.M., Engineer  
LEVITANSKIY, B.A., Engineer  
MALAYA, R.Yu., Cand. of Tech. Sciences, deceased.  
NEIFAKH, G.M., Cand. of Tech. Sciences  
POPOV, M.D., Engineer  
SMORODINSKIY, Ia.M., Cand. of Tech. Sciences  
SOSUNOV, M.N., Engineer  
STASYUK, V.N., Engineer  
TAITS, A.A., Engineer  
FEDOSEEV, L.M., Engineer  
FEIGIN, V.I., Engineer  
CHELYUSTKIN, A.B., Engineer  
SHERENTSI, A.N., Engineer

Full Title: A HANDBOOK FOR ELECTROTECHNICAL PERSONNEL IN FERROUS METALLURGICAL INDUSTRIES.

Transliterated Title: Spravochnik elektriya predpriyatii chernoi metallurgii

Publishing Data

Originating Agency: None.

Publishing House: State Publishing House of Scientific-Technical Literature on Ferrous and Nonferrous Metallurgy (Metallurgizdat), Moscow.

Date: 1962

No. pp.: 1167  
1/2

No. copies: 14,000



SHERENTIS, A. N.

Electric Engineering

Rules pertaining to the setting up of .  
electric installations. Elektrichestvo  
no. 1, 1952.  
Inzh. Teploelektroproyekt

Monthly List of Russian Accessions, Library  
of Congress, April 1952. UNCLASSIFIED

SHERENTIS, A. N.

USSR: (600)

Electric Lines  
Examination of circulatory processes on a transmission line model of 380 KV.  
Elektrichestvo, no 1, 1952. Inzh.

СОВЕТСКИЙ СОЮЗ

Измерение параметров в Точке Волны на Высокочастотных Лазерах Электропривода  
Э. С. Лазаревский, М. Д. 1978. Инж.

СОВЕТСКИЙ СОЮЗ. Издание 1978, Июнь 1978. 1978. 1978.

... .., A. M., 1951.

Elektricheskoe ... ..

Measuring the resistance of various types of ... .. in Sweden. Elektrichestvo no. 5,  
1951.

What Is List of Russian Assassinations, Library of Congress, November 1952. UNCLASSIFIED.

GERSHENGORN, A.I.; SHARENTSIS, A.N.; MEL'NIKOV, N.A.

Transposition of long transmission lines. Elektrichestvo '53, No.1,  
16-22. (MLRA 6:2)  
(EEA 56 no.670:3979 '53)

SHERENTSI, A.N., inzhener.

Grounding devices of high-voltage electric transmission lines.  
Energetik 1 no.7:22-24 D '53.

(MIRA 6:12)

(Electric lines--Overhead)

1. VIL'KINAV, V. A. Ing., SIMBINTSIS, A. N. Eng.

2. USSR (600)

4. Electric Lines

7. Insulation standards for 110-220 kilovolt electric transmission lines on metal supports.  
Elek. sta. 23 No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953, Unclassified.

SHERENTSI, A. N.

621.315.051 : 621.315.09

1932. Non-full-phase operating conditions on long transmission lines. N. A. MEL'NIKOV AND A. N. SHERENTSI. *Elektrichestvo*, 1954, No. 6, 3-7.

The usefulness of maintaining operation on duplex transmission systems in the case of an interruption of individual phase in one or more line sections is discussed. The resulting asymmetry of the currents and voltages in the parts of the circuits which in themselves remain symmetrical may be reduced by artificial means. This is particularly necessary if (as recommended by the regulations) on the cutting-out of a faulted phase in one of the two circuits, the corresponding phase of the other circuit is also disconnected. The resulting asymmetry may then, without intervention of the longitudinal compensation, exceed the permissible limits for hydro-generators mostly supplying the long-distance transmission systems. The transverse compensation may also play a certain part in reducing the asymmetry. It is obvious that the system protection needs a special adjustment where this type of operation is intended. The effects on the transmitting capacity and stability are analysed in a theoretical appendix.

B. F. KRAUS



*Sherentsis, A. N.*

AID P - 602

Subject : USSR/Electricity

Card 1/2 Pub. 27 - 6/35

Authors : Kostenko, M. V., Dr. of Tech. Sci., Polovoy, I. F., Kand. of Tech. Sci., Leningrad Polytechnic Institute im. Kalinin, Sherentsis, A. N., Eng., Teploelektroproyekt

Title : Selection of the surge insulation level of 400-kv apparatus and transformers

Periodical : Elektrichestvo, 8, 31-36, Ag 1954

Abstract : In 1949 the All-Union Electrotechnical Institute im. Lenin (VEI) worked out "Instructions Concerning the Insulation Level for Designing 400-kv AC Installations". The VEI and the Leningrad Polytechnic Institute made special tests on the lightning protection of 400-kv substations. The importance of an uninterrupted operation of these installations was taken into consideration as well as the low probability of surges coming into the substation from the transmission lines with a high-level

*SHERENTSI, A. N.*

AID P - 1215

Subject : USSR/Electricity

Card 1/2 Pub. 27 - 10/34

Authors : Mel'nikov, N. A., Kand. of Tech. Sci., and  
Sherentsis, A. N., Eng.

Title : Tapping power from electric transmission lines through  
capacitors

Periodical : Elektrichestvo, 12, 51-56, D 1954

Abstract : The frequent need to tap small quantities of power for  
local (agricultural or auxiliary) use from a high voltage  
electric transmission line without building costly sub-  
stations is discussed. Such tapping can best be done  
through the installation of capacitors of high frequency  
communication system. The cost of additional equipment  
is low. With the power factor 0.8, it is possible to ob-  
tain a tapped capacity up to 360 kw. 12 diagrams, 3 Russian  
references (1950-1952).

Institutions: VZEI (All-Union Correspondence Electrical Institute) and  
TEPLOENERGOPROYEKT (Trust for the Planning and Investi-  
gation of Thermal and Electric Power Plants, Networks  
and Substations)

Submitted : 11 10, 1954

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549220018-9

*Sh. Rutenkis, A.N.*

✓ 1874 CONVERSION OF 35-400 kV POWER TRANSMISSION LINES TO A HIGHER VOLTAGE RATING. ~~ATLASES~~ 021.315.17 8 1  
Elekt. Stantstii, 1958, No. 7, 31-41. In Russian.

*Red* Summarises the published information on the conversion of two French 110 and 120 kV lines to 150 kV, three French and one Chinese 150 kV lines to 220 kV, and one German 220 kV line to 300 kV, with respect to conductor size, clearances, number and type of insulators and electric strength. The estimated increase of corona losses and the question of maximum switching over-voltages are discussed on the basis of American and Swedish experience, and recommendations are made for the conversion of 55, 110, 220 and 400 kV lines to 60, 150, 300 and 500 kV respectively.

F. Busemann

*Rosen*  
*M.M.*

*Sherepov H. H.*  
SHERENTSIS, A.N., inzh.

Protection of transmission lines against atmospheric overvoltages  
(from "El.Times," no.3383-3384 1956). Elek.sta. supplement no.6:41-43  
N-D '57. (MIRA 11:2)

(Electric lines)